


CABLE ATTRIBUTES	APPROX.
NOMINAL OVERALL DIAMETER	13.5 mm
NOMINAL RADIAL THICKNESS OF OUTER SHEATH	1.5 mm
NOMINAL LAID UP DIAMETER OF CABLE	10.5 mm
WEIGHT OF CABLE IN AIR (APPROX.)	194 kg/km
WEIGHT OF CABLE IN SEAWATER (APPROX.)	48 kg/km
WEIGHT OF CABLE IN FRESHWATER (APPROX.)	51 kg/km
AMBIENT OPERATING TEMPERATURE RANGE	-20 to 60 °C
MAXIMUM CONDUCTOR TEMPERATURE	70 °C
MINIMUM RECOMMENDED STATIC BEND RADIUS	108 mm
MINIMUM RECOMMENDED DYNAMIC BEND RADIUS	162 mm
MAXIMUM CONTINUOUS LENGTH	1700 m
MAXIMUM HYDROSTATIC WORKING PRESSURE	2500 PSI (TBC)

ITEM	QTY.	DESCRIPTION
1	5	0.5 mm ² TWISTED SCREENED PAIR (M.D.P.E. INSULATION)
2	1	3.5 mm DIAMETER FILLER (POLYPROPYLENE MATERIAL)
3	5	1.55 mm DIAMETER FILLER (POLYPROPYLENE MATERIAL)
4	A/R	POLYESTER TAPE
5	A/R	POLYURETHANE SHEATH (R.T. 1.5 mm)



O.D. 13.5 mm ±0.5 mm

DESCRIPTION :

5 TWISTED SCREENED PAIRS (0.5 mm², CLASS 5, 16/0.2 TINNED COPPER WIRE, MEDIUM DENSITY POLYETHYLENE INSULATION) + POLYURETHANE SHEATH (R.T. 1.5 mm)

ELECTRICAL CHARACTERISTICS	
CORE CROSS SECTIONAL AREA	0.5 mm ²
MAX CONDUCTOR RESISTANCE @ 20°C	40.1 Ω/km
VOLTAGE RATING	500 V AC
ROUTINE TEST VOLTAGE	2 kV AC/ 3 kV DC
VOLTAGE TEST DURATION	1 MINUTE
AC SPARK TEST VOLTAGE	5 kV
CURRENT RATING IN FREE AIR @ 30°C	3 A
INSULATION RESISTANCE 20°C @ 500 V DC	> 312 MΩ.km

				"CAD" DRAWING - REVISE AT SOURCE - DO NOT SCALE			
				CUSTOMER ISSUE NOTIFICATION:- NO			
				CUSTOMER NAME:- N/A			
				CUSTOMER REF. No.:- N/A			
				REFERENCE DOCUMENTATION			
11	13529	NEW TEMPLATE, UPDATE DESIGN	I.S.	10.06.19	S.M.	R.Z.	
10	9929	NEW TEMPALTE, UPDATE DESIGN	I.S.	22.04.15	S.M.	A.S.	
09	5214	ADD PERFORMANCE RECORDS	K.M.	15.01.09	D.H.	C.G.	
ISSUE	D.R.F.	MODIFICATION	DRAWN	DATE	CHKD	APPD	

HYDROCABLE SYSTEMS Ltd
 HYDRO HOUSE, CLAYMORE AVENUE, ABERDEEN ENERGY PARK,
 BRIDGE OF DON, ABERDEEN, SCOTLAND, AB23 8GW
 TEL: +44 (0)1224 825050 FAX: +44 (0)1224 825142
 e-mail: sales@hydrogroup.plc.uk
 web site: http://www.hydrogroupplc.com

TITLE		5 T.S.P. S (0.5 mm ²) + P/U SHEATH	
DRG. No.	CS 009	DRG. STATUS	ACTIVE
SHT 01	OF 05	ISSUE	11